Co-funded by
the European Union

PREVENTING ADDICTIVE BEHAVIORS

IS THERE A RELATIONSHIP BETWEEN TOURETTE SYNDROME AND ADDICTION?

Tourette Syndrome (TS) is a neurodevelopmental disorder characterized by involuntary motor and vocal tics. While TS itself does not directly cause addiction, research suggests that individuals with TS may have a higher risk of developing substance use disorders (SUDs), be more susceptible to developing addictive behaviors, such as excessive online gaming, due to various factors, including impulsivity, anxiety, and co-occurring conditions such as Attention-Deficit/Hyperactivity Disorder (ADHD) and Obsessive-Compulsive Disorder (OCD).

CO-OCCURRING CONDITIONS

Understanding the Connection:

- Impulsivity and Risk-Taking Behavior – People with TS often exhibit impulsivity, which can lead to higher susceptibility to addictive behaviors.
- Co-Occurring Mental Health Disorders – Anxiety, depression, and OCD frequently accompany TS, increasing the likelihood of using substances or addictive behaviors as a coping mechanism.
- Dopaminergic Dysfunction – TS is associated with abnormalities in dopamine regulation, the main neurotransmitter system involved in addiction.
- Social and Emotional Challenges – Individuals with TS may experience social rejection or bullying, leading to emotional distress and potential substance use as a form of self-regulation or of soothing tics.

Internet Gaming Disorder (IGD)

Internet Gaming Disorder (IGD) was defined by a pattern of gaming resulting in significant impairment or distress that was required to meet at least five out of nine criteria, namely, preoccupation, withdrawal, tolerance, loss of control, reduced non-gaming interests, gaming in spite of harms, deception about gaming, gaming as a means to escape or to regulate mood, and conflict/interference caused by gaming. The presence of an enduring gaming behavior, a loss of control over gaming, and a functional impairment caused by gaming, represented by lost life opportunities and negative impacts on normal routines, self-care, social relationships, and responsibilities, for a 12-month period.

PREVENTING ADDICTIVE BEHAVIORS

STRATEGIES TO PREVENT ADDICTION IN LEISURE ACTIVITIES

Leisure activities are essential for individuals with Tourette Syndrome (TS), offering relaxation, enjoyment, and stress relief. However, without proper management, these activities may lead to compulsive or addictive behaviors, potentially disrupting daily life and overall well-being.

IDENTIFYING HEALTHY VS. ADDICTIVE BEHAVIORS IN LEISURE ACTIVITIES

Leisure Activities - Healthy Engagement:

- **Activities bring joy and relaxation without causing distress. They are not used as an avoidance strategy for difficult situations or as an escape from one's emotions.**
- **Participation is voluntary and flexible.**
- **The individual can stop or take breaks without discomfort.**
- **The activity complements other daily responsibilities (e.g., university, work, relationships).**



Signs of Addictive Behavior:

- **Excessive time spent on an activity, neglecting essential tasks.**
- **Feelings of anxiety or distress when unable to engage.**
- **Loss of control over the duration and frequency of participation.**
- **Negative impact on mental health, relationships, or academic/professional performance.**

How to Prevent Addiction in Leisure Activities

- **Set Time Limits** – Define clear boundaries for your leisure activities, whether it's gaming or social media. Use timers or schedule regular breaks to ensure a balanced routine.
- **Diversify Your Activities** – Engage in a mix of activities, such as physical exercise, creative hobbies, and social interactions. This helps prevent over-reliance on a single pastime.
- **Alternate with other activities** - Creating other gratifying experiences for those who play video games is a way to prevent them from becoming the only source of gratification. Activities both inside and outside the home are highly recommended.
- **Frequency of play** - A dependency stems from a habit, which forms when a behavior is consistently repeated at the same time as part of a routine. If a routine is never established, the habit is not created and the dependency does not develop. Varying the days of play can help disrupt the habit formation process.
- **Be Mindful of Your Engagement** – Pay attention to how you feel and behave while engaging in leisure activities. If you notice signs of excessive use, like neglecting responsibilities or social withdrawal, take a step back and look for new hobbies that can provide alternative ways to manage stress.
- **Stay Connected** – Maintain relationships with family, friends, or support groups. A strong social network helps you stay accountable and keeps leisure activities in check.
- **Identify Emotional Triggers** – Be aware of emotional states that might push you toward excessive use of leisure activities as a coping mechanism. Instead, try relaxation techniques or reach out to a trusted person when stress or anxiety arises.
- **Manage your screen** - Manage your screen time according to the recommendations of the World Health Organization.
- **Seek Professional Help When Needed** – If you notice signs of addiction, don't hesitate to consult a psychologist or mental health professional. They can help you regain control with personalized strategies.

PREVENTING ADDICTIVE BEHAVIORS

REMEMBER, MODERATION AND SELF-AWARENESS ARE THE KEY.

UNDERSTANDING GAMING IN PATIENTS WITH TOURETTE SYNDROME

For individuals with tics, gaming can serve as a distraction from the urge to tics or the sensations that often precede them. Immersing in an engaging game can shift their focus, making them less aware of their tics and temporarily reduce their frequency. Because of that gaming can be a risk, as individuals with TS may be more susceptible to developing addictive behaviors.

Online gaming platforms also create spaces where individuals with tics can interact with others who share their interests. This can contribute to a sense of belonging and provide a supportive environment where they feel understood and accepted. Additionally, many games require strategic thinking, quick decision-making, and precise motor coordination. Participating in these activities can help individuals with tics strengthen cognitive skills, improve hand-eye coordination, and refine their ability to respond quickly to challenges.

Some games involve intense visual and auditory stimuli, which can potentially trigger or exacerbate tics in individuals who are more sensitive to sensory input. It is crucial to be mindful of the impact of these stimuli and choose games that are less likely to trigger tic-related symptoms. Addictive behaviors are a real concern for some individuals. It is essential to establish healthy boundaries and develop techniques to manage urges and maintain balance in daily routines.

This document has been created within the framework of the Erasmus+ Project "THE PATH FOR INCLUSION: YOUTH WITH TOURETTE'S SYNDROME EMPOWERING THEMSELVES TO BUILD A BETTER WORLD". This project is co-funded by the Erasmus+ Programme of the European Union. The content of this presentation is the sole responsibility of Redtree Making Projects Coop.V. and the organizations collaborating in the project, and neither the European Commission nor the Spanish Service for the Internationalization of Education (SEPIE) can be held responsible for the use made of the information disseminated here.